## **Safety Data Sheet**

Issue Date: 22-Jul-2015 Revision Date: 12-Apr-2017 Version 3

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

SDS # DMD-004-EU

Product Name White Diamond Metal Polish with long lasting sealant

Pure substance/mixture Mixture

## 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Multi-purpose metal polish

#### 1.3. Details of the Supplier of the Safety Data Sheet

<u>Importer</u> <u>Supplier</u>

Lindon Davies Schultz Laboratories, Inc.

Unit 4, Pineview P.O. Box 460 Hillside Industrial Park Granger, IA 50109

Draycott Cross Road

Cheadle Staffordshire ST10 1AB

#### For further information, please contact

Contact Point Custom Products Europe LTD. +44333 772 0192

Email Address sales@whitediamondeu.com

## 1.4. Emergency telephone number

Emergency Telephone (24 hr)

Austria +43 1 406 4343

Belgium 070 245 245

Belgium 070 245 245
Bulgaria +359 2 9154 233
Croatia (+385 1) 23-48-342

Cyprus 1-352-323-3500 INFOTRAC Czech Republic +420 224 919 293

 Czech Republic
 +420 224 919

 Denmark
 82 12 12 12

 Estonia
 16662

 Finland
 08-331231

France 33 (0)1 45 42 59 59 Germany 49 231 9071 2971

Greece 1-352-323-3500 INFOTRAC

Hungary (06-1) 476-1120

Italy 1-352-323-3500 INFOTRAC

Latvia +371 67042473 Lithuania 370 687 53378

Luxembourg 1-352-323-3500 INFOTRAC

Malta 2545 0000 The Netherlands 088 75 666 66

Poland 1-352-323-3500 INFOTRAC

Portugal 808 250 143

Romania 1-352-323-3500 INFOTRAC Slovakia 1-352-323-3500 INFOTRAC

Spain + 34 91 562 04 20

Sweden 08-331231

UK 1-352-323-3500 INFOTRAC

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the Substance or Mixture

Regulation (EC) No 1272/2008

Aspiration toxicity Category 1 - (H304)

## 2.2. Label Elements

**Product Identifier** 



## Signal Word

Danger

#### **Hazard statements**

H304 - May be fatal if swallowed and enters airways

### Precautionary Statements - EU (§28, 1272/2008)

P405 - Store locked up

P501 – Dispose of contents/container to an approved waste disposal plant

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

#### 2.3. Other Hazards

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 MIXTURES

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Petroleum Distillates, Hydrotreated light	Present	64742-47-8	55-65	Asp. Tox. 1 (H304)	Not determined
Aluminium Oxide	Present	1344-28-1	30-40		01-211952924 8-35-xxxx 01-211952924 8-35-0017 (MARTINSWERK GmbH)

## Full text of H- and EUH-phrases: see section 16

## **Additional Information**

Substances without a classification are included, because they have established occupational exposure limits
This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

DMD-004-EU - White Diamond Metal Polish with long

lasting sealant

**Section 4: FIRST AID MEASURES** 

#### 4.1. Description of First Aid Measures

General Advice Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

Revision Date: 12-Apr-2017

Skin Contact Remove contaminated clothing. Wash with plenty of soap and water. Rinse with warm

water.

Inhalation When symptoms occur: go into open air and ventilate suspected area. Keep patient warm

and at rest.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a doctor or poison control centre immediately.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** May be fatal if swallowed and enters airways. Inhalation may cause headache, dizziness,

nausea, vomiting and malaise. May cause skin redness, irritation or swelling. May cause

slight eye irritation. Ingestion may cause nausea, vomiting and abdominal pain.

#### 4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

## Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, or appropriate foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising from the Substance or Mixture

Combustible liquid and vapour.

**Hazardous Combustion** 

**Products** 

Aluminium oxides. Carbon oxides.

#### 5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required. Cool containers exposed to fire with water. Do not release runoff from fire control methods to sewers or waterways.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

#### **Personal Precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Evacuate unnecessary personnel. Refer to protective measures listed in sections 7 and 8.

asting scalarit

#### For Emergency Responders

Use personal protection recommended in Section 8.

### 6.2. Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

## 6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain any spills with dikes or

absorbents to prevent migration and entry into sewers or streams.

Methods for Clean-Up Soak up with inert absorbent material. Do not use combustible materials, such as saw dust.

Pick up and transfer to properly labelled containers.

#### 6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for Safe Handling

#### **Advice on Safe Handling**

Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Workers should wash hands and face before eating, drinking and smoking. After handling, always wash hands thoroughly with soap and water.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for Safe Storage, Including any Incompatibilities

## **Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from direct sunlight. Keep containers closed when not in use. Store away from heat, sparks or open flame. Store away from sources of ignition.

#### 7.3. Specific End Use(s)

#### Specific Use(s)

Multi-purpose metal polish.

## **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control Parameters

**Exposure Limits** 

_//pecone					
Chemical Name	European Union	United Kingdom	France	Spain	Germany
Aluminium Oxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
1344-28-1		TWA: 4 mg/m <sup>3</sup>			
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Aluminium Oxide	-	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 5 mg/m <sup>3</sup>
1344-28-1					TWA: 2 mg/m <sup>3</sup>

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Aluminium Oxide 1344-28-1	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	STEL: 24 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>

8.2. Exposure Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

**Personal Protective Equipment** 

**Eye/Face Protection** Use safety glasses or chemical splash goggles.

Hand Protection Rubber gloves.

**Skin and Body Protection** Suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on Basic Physical and Chemical Properties

Physical state Liquid

AppearanceClear, colourless liquidOdourPerfume VanillaColourColourlessOdour ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 5

Melting Point/Freezing PointNo data availableBoiling Point/Boiling Range146 °C / 295 °FFlash Point74 °C / 165 °F

Flash Point 74 °C / 165 °F Pensky-Martens Closed Cup (PMCC)

Evaporation Rate No data available Flammability (Solid, Gas) Liquid-not applicable

Flammability Limits in Air

**Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapour Pressure** No data available **Vapour Density** Not data available **Relative Density** 1.128 @ 25°C **Water Solubility** Insoluble in water Solubility(ies) Not determined **Partition Coefficient** No data available **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available

Kinematic Viscosity442 cSt@ 25°C (LVT, 2, 30 rpm)Dynamic Viscosity499 cP@ 25 deg C (Brookfield)

Explosive Properties Not an explosive Oxidising Properties Not determined

9.2. Other information

VOC Content (%) VOC exempt for consumer goods applications

## **Section 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

Not reactive under normal conditions.

## 10.2. Chemical stability

Stable under normal conditions.

DMD-004-EU - White Diamond Metal Polish with long

lasting sealant

## 10.3. Possibility of Hazardous Reactions

#### **Hazardous Polymerisation**

Hazardous polymerisation does not occur.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight. Heat, sparks & open flame. Ignition sources.

#### 10.5. Incompatible Materials

Oxidizers. Reducing agent.

#### 10.6. Hazardous Decomposition Products

Carbon oxides. Metal oxides. Fumes.

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

### **Acute Toxicity**

#### **Product Information**

**Inhalation** Avoid breathing vapours or mists.

**Eye Contact** Avoid contact with eyes. **Skin Contact** Avoid contact with skin.

**Ingestion** Do not ingest.

## The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 5,379.00 mg/kg **ATEmix (dermal)** 2,020.00 mg/kg

## Unknown Acute Toxicity

100% of the mixture consists of ingredient(s) of unknown toxicity.

9.32 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

38.21 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

## Component Information

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Petroleum Distillates, Hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	
light				
Aluminium Oxide	> 5000 mg/kg (Rat)			
Stearic acid		> 5 g/kg(Rabbit)		

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified.

DMD-004-EU - White Diamond Metal Polish with long

lasting sealant

Sensitisation Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

Reproductive toxicity Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Petroleum Distillates, Hydrotreated		2.2: 96 h Lepomis macrochirus mg/L	4720: 96 h Den-dronereides
light		LC50 static 45: 96 h Pimephales	heteropoda mg/L LC50
		promelas mg/L LC50 flow-through	
		2.4: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	

#### 12.2. Persistence and Degradability

Not established.

#### 12.3. Bioaccumulative Potential

Not established.

## 12.4. Mobility in Soil

## **Mobility**

No information available.

## 12.5. Results of PBT and vPvB Assessment

No information available.

## 12.6. Other Adverse Effects

Avoid release to the environment.

## **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste Treatment Methods

Waste from Residues / Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

iasting scalant

Section 14: TRANSPORT INFORMATION

Single or combination packagings of marine pollutants containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids,

are not subject to declaration as such under IATA DGR Special Provision A197 and IMDG

Revision Date: 12-Apr-2017

Code 2.10.2.7.

**IMDG** 

Note

14.2 Proper Shipping Name See note above

RID

14.2 Proper Shipping Name Not regulated

ADR

14.2 Proper Shipping Name Not regulated

<u>IATA</u>

**14.2 Proper Shipping Name** See note above

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### **National Regulations**

France

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Petroleum Distillates, Hydrotreated light	RG 84	
64742-47-8		

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not applicable

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Component	TSCA	DSL/NDSL	EINECS/ELIN CS	PICCS	ENCS	IECSC	AICS	KECL
Petroleum Distillates, Hydrotreated light 64742-47-8 ( 55-65 )	Х	X	X	Х	-	Х	Х	Present
Aluminium Oxide 1344-28-1 ( 30-40 )	X	Х	Х	Х	Present	Х	X	Present

### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/Éuropean List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **Section 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

**Classification Procedure** 

Calculation method

Issue Date: 22-Jul-2015

Revision Date: 12-Apr-2017

Revision Note: Updated information

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**