

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 29/11/2017 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product i	identifier			
Product form	:	Mixture		
Product name	:	GRACEMATE POPPY - CHERRY		
1.2. Relevant	identified uses of the substan	nce or mixture and uses advised against		
1.2.1. Relevant	identified uses	Air freshener		
Use of the substance	e/mixture .	Air freshener		
	vised against			
No additional inform				
	f the supplier of the safety data	a sheet		
TRUCK SHOP B.V. De Corridor 12E				
	EN - THE NETHERLANDS			
T +31-346-284848 michel@truck-shop	.nl			
	cy telephone number			
Country	Organisation/Company	Address Emergency number Comment		
United Kingdom	National Poisons Information	Dudley Road 0844 892 0111 (UK -		
e inte e i inge e in	Service (Birmingham Centre)	B18 7QH Birmingham only, Monday to Friday,		
	City Hospital, Guy's & St Thomas' Hospital Trust	08.00 to 18.00 hours)		
SECTION 2: Ha	zards identification			
	ation of the substance or mixtu			
	ording to Regulation (EC) No. 1			
Flam. Liq. 2	H225			
Eye Irrit. 2	H319			
	lasses and H-statements : see s	section 16		
T UN LEXT OF HAZAI'U C	asses and restatements . see s			
Advorso physicool	hemical, human health and env	viranmental offecte		
	quid and vapour. Causes serious			
2.2. Label ele				
	ng to Regulation (EC) No. 1272/	/2008 [CLP]		
Hazard pictograms (CLP) :				
Signal word (CLP)		GHS02 GHS07 Danger		
Hazard statements		H225 - Highly flammable liquid and vapour.		
	. ,	H319 - Causes serious eye irritation.		
Precautionary state		P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.		
		P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.		
		P403+P235 - Store in a well-ventilated place. Keep cool. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove		
		contact lenses, if present and easy to do. Continue rinsing.		
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation				
		מטנטו שמונים שונו וטכמו, ופווטוומו, וומנוטוומו מווט/טר ווופרוזמנוטוומו ופטעומנוטרו		

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	50 - 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
benzaldehyde	(CAS-No.) 100-52-7 (EC-No.) 202-860-4 (EC Index-No.) 605-012-00-5	1 - 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
Benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5	1 - 1,5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
Ethyl acetate substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0,1 - 0,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Specific concentration limits:		1	
Name	Product identifier	Specific concentration limits	
Ethanol	(CAS-No.) 6 4-17-5 (EC-No.) 200 -578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457 610-43	(C >= 50) Eye	9 Irrit. 2, H319

Full text of H-statements:	see section 16
----------------------------	----------------

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. If possible show this sheet, if not available show packaging or label.		
First-aid measures after inhalation	: If you feel unwell, seek medical advice. Allow the victim to rest. Assure fresh air breathing. If symptoms persist call a doctor.		
First-aid measures after skin contact	: Wash skin with mild soap and water. If symptoms persist call a doctor.		
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult an eye specialist.		
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a POISON CENTER/doctor.		
4.2. Most important symptoms and effects	s, both acute and delayed		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
4.3. Indication of any immediate medical	attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. dry chemical powder. Alcohol resistant foam. Carbon dioxide.		
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.		
5.2. Special hazards arising from the sub-	stance or mixture		
Fire hazard	: Highly flammable liquid and vapour.		
Hazardous decomposition products in case of fire	: During combustion : Toxic vapours may be released, Carbon oxides (CO, CO2).		
5.3. Advice for firefighters			
Precautionary measures fire	: Keep upwind.		
Firefighting instructions	: Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding. Do not discharge into drains or the environment.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.		

٦.,

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 190	ccording to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830				
SECTION 6: Accidental	SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures					
General measures : Ensure adequate ventilation. Remove all sources of ignition.					
6.1.1. For non-emergency					
6.1.1. For non-emergency Emergency procedures		kin and eves. Do not smoke. No flames, no sparks. Eliminate all sources of			
	ignition. In case of in	: Avoid contact with skin and eyes. Do not smoke. No flames, no sparks. Eliminate all sources of ignition. In case of important spillage : Clear the danger area. Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency resp	oonders				
Protective equipment		e action without suitable protective equipment. For further information xposure controls/personal protection".			
6.2. Environmental prec	autions				
Contain the spilled material by	bunding. Do not allow product to spread ir	to the environment.			
6.3. Methods and materi	ial for containment and cleaning up				
For containment					
Methods for cleaning up	: Wash non-recoveral	ble remainder with large amounts of water.			
6.4. Reference to other	sections				
Concerning personal protective	equipment to use, see section 8. Concer	ning disposal elimination after cleaning, see section 13.			
SECTION 7: Handling a	nd storage				
7.1. Precautions for safe					
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Smoking is forbidden. No flames, no sparks. Eliminate all sources of ignition. Avoid the build-up of electrostatic charge. Use non-sparking tools. Ground/bond container and receiving equipment.					
Hygiene measures		: Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. Keep away from food, drink and animal feeding stuffs.			
7.2. Conditions for safe	storage, including any incompatibilitie	s			
Storage conditions	flames, hot surfaces	: Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Protect from heat and direct sunlight. Proper grounding procedures to avoid static electricity should be followed.			
Incompatible materials	compatible materials : Oxidation agents. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.				
7.3. Specific end use(s)					
No additional information availa	able				
SECTION 8: Exposure of	controls/personal protection				
8.1. Control parameters		-K-SHAPNI Ø			
Ethyl acetate (141-78-6)					
EU	Local name	Ethyl acetate			
EU	IOELV TWA (mg/m ³)				
EU	IOELV TWA (ppm)	200 ppm			
FII	IOELV STEL (mg/m ³)	1468 mg/m ³			

1468 mg/m³

Ethyl acetate

COMMISSION DIRECTIVE (EU) 2017/164

400 ppm

200 ppm

400 ppm EH40. HSE

Ethanol

1920 mg/m³

1000 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

EU

EU

EU

United Kingdom

United Kingdom

United Kingdom

United Kingdom

United Kingdom

United Kingdom

Ethanol (64-17-5) United Kingdom IOELV STEL (mg/m³)

IOELV STEL (ppm)

WEL TWA (ppm)

WEL STEL (ppm)

Regulatory reference

WEL TWA (mg/m³)

WEL TWA (ppm)

Local name

Local name

Regulatory reference

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Breakthrough time : refer to the recommendations of the supplier

Eye protection:

Safety glasses with side shields

Respiratory protection:

If the ventilation is suitable, it is not essential to wear respiratory equipment

SECTION 9: Physical and chemical	nronerties			
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Colour	: No data available			
Odour	: Cherry.			
Odour threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: > 35 °C (estimated value)			
Flash point	: 22 °C			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: Not applicable			
Vapour pressure	: No data available			
Relative vapour density at 20 °C	: No data available			
Relative density	: No data available			
Solubility	: No data available			
Log Pow	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: Ex p losive vapour/air mixtures may be formed.			
Oxidising properties	: Non oxidizing material according to EC criteria.			
Explosive limits	: No data available			
9.2. Other information				
No additional information available	WINULN SHUP NL			
SECTION 10: Stability and reactivit	y the second			
10.1. Reactivity				

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

10.4. Conditions to avoid

Heat. Heat sources. Direct sunlight. Avoid the build-up of electrostatic charge.

10.5. Incompatible materials

Oxidizing agent. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

benzaldehyde (100-52-7)			
LD50 oral rat	1430 mg/kg (OECD 401 method)		
LC50 inhalation rat	1 - 5 mg/l/4h Aerosol/Vapour (OECD 436 method)		
Ethyl acetate (141-78-6)			
LD50 oral rat	4935 mg/kg		
LD50 dermal rabbit	> 18000 mg/kg		
LC50 inhalation rat	1600 mg/l/4h		
Benzyl alcohol (100-51-6)			
LD50 oral rat	1620 mg/kg		
LD50 dermal	2500 mg/kg bodyweight		
LC50 inhalation rat	> 4,178 mg/l/4h		
Ethanol (64-17-5)			
LD50 oral rat	10470 mg/kg (95% Water) (OECD 401 method)		
LC50 inhalation rat	116,9 - 124,7 mg/l/4h (vapours) (equivalent or similar to OECD Guideline 403)		
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)		
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
Ethanol (64-17-5)			
LOAEL (oral, rat, 90 days)	3156 mg/kg bodyweight/day		
NOAEL (oral, rat, 90 days)	<= 1730 mg/kg bod <mark>y</mark> weight/day		
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)		

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: To our knowledge, the product does not present any particular risk, under normal conditions of		
	use.		
Acute aquatic toxicity	: Not classified (Based on available data, the classification criteria are not met)		
Chronic aquatic toxicity	: Not classified (Based on available data, the classification criteria are not met)		
benzaldehyde (100-52-7)			
LC50 fish	1,07 - 13,8 mg/l/96h (OECD 203 method)		
EC50 Daphnia	50 m <mark>g/l/24h (Daphnia ma</mark> gna)		
Ethyl acetate (141-78-6)			
LC50 fish	230 mg/l/96h (Pimephales promelas)		
EC50 Daphnia	717 mg/l/48h (Daphnia magna)		
NOEC chronic crustacea 2,4 mg/l/ 21 d (Daphnia magna) (méthode OCDE 211)			
Ethanol (64-17-5)			
LC50 fish	13500 - 15300 mg/l/96h (Pimephales promelas)		
EC50 Daphnia	> 10000 mg/l/48h (Daphnia magna)		
ErC50 (algae)	275 mg/l/72h (Chlorella vulgaris)		
NOEC (chronic) > 10 mg/l/ 21 d (Daphnia magna)			
NOEC chronic algae 240 mg/l			

١

12.2. Persistence and degradability

Ethyl acetate (141-78-6)			
Persistence and degradability	100 % biodegradation /28. days.		
Benzyl alcohol (100-51-6)			
Persistence and degradability Readily biodegradable.			
Biodegradation	95 % (OECD 301D method)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	with its amendment negulation (EO) 2013/830			
Ethanol (64-17-5)				
Persistence and degradability Readily biodegradable. 70 % biodegradation. (20 days).				
Biochemical oxygen demand (BOD)	0,93 - 1,67 g O2/g substance	0,93 - 1,67 g O2/g substance		
Chemical oxygen demand (COD) 1,99 g O2/g substance				
12.3. Bioaccumulative potential				
benzaldehyde (100-52-7)				
Log Pow	1,4 (OECD 117 method)			
Ethyl acetate (141-78-6)				
Log Pow	0,73			
Benzyl alcohol (100-51-6)				
Log Pow	1,1			
Ethanol (64-17-5)				
BCF	0,66			
Log Pow	-0,35 (20°C)			
Bioaccumulative potential	Not potentially bioaccumulable.			
12.4. Mobility in soil				
Ethanol (64-17-5)				
Ecology - soil	Small adsorption. Product evapora	tes rapidly when in contact wit	th the air.	
12.5. Results of PBT and vPvB assessm	nent			
Component				
benzaldehyde (100-52-7)	This substance/mixture does not m	eet the PBT criteria of REACH	regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
Ethanol (64-17-5) This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
12.6. Other adverse effects				
No additional information available				
SECTION 13: Disposal considerati	ons			
13.1. Waste treatment methods				
Product/Packaging disposal recommendations	Conform to current legislation, reg	ulations and orders		
Troductr ackaging disposal recommendations	. Contonn to current registration, regi			
SECTION 14: Transport informatio	n			
In accordance with ADR / RID / IMDG / IATA /	ADN			
ADR IMDG	IATA	ADN	RID	
14.1. UN number	WIKIN-S	SHILP NI		
1993 1993	1993	1993	1993	
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (Ethanol) FLAMMABLE LI N.O.S. (Ethanol		FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	
14.3. Transport hazard class(es)			N.O.S. (LUIAIIOI)	
3 3	3	3	3	
14.4. Packing group				

II	11	II	11	П
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

- Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640D
Limited quantities (ADR)	: 11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) w	ith its amendment Regulation (EU) 2015/830
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP8, TP28
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1993
Tunnel restriction code (ADR)	: D/E
- Transport by sea	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP8, TP28
EmS-No. (Fire)	I F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
MFAG-No	: 128
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	VISLINUUN ƏNUF.NL 🔍
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
 Inland waterway transport 	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601, 640D
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP8, TP28
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: ECHA - European Chemicals Agency. SDS of suppliers.

ł.

Full text of H- and EUH-statemer	nts:
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
Classification and procedure used	d to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:
Flam. Liq. 2	H225 On basis of test data
Eye Irrit. 2	H319 Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product