

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 24/01/2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : GRACEMATE POPPY - STRAWBERRY

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Air freshener

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

TRUCK SHOP B.V. De Corridor 12E

3621 ZB BREUKELEN - THE NETHERLANDS

T +31-346-284848 michel@truck-shop.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02 GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P403+P235 - Store in a well-ventilated place. Keep cool.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

24/01/2018 EN (English) 1/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures 3.2.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	55 - 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Ethyl acetate substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0,1 - 0,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2	0,1 - 0,5	Flam. Liq. 3, H226
N-butyl acetate substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 123-86-4 (EC-No.) 204-658-1 (EC Index-No.) 607-025-00-1	0,01 - 0,1	Flam. Liq. 3, H226 STOT SE 3, H336
benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	0,01 - 0,1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	(C >= 50) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

- In all cases of doubt, or when symptoms persist, seek medical attention. If possible show this sheet, if not available show packaging or label.
- First-aid measures after inhalation
- If you feel unwell, seek medical advice. Allow the victim to rest. Assure fresh air breathing. If symptoms persist call a doctor.
- First-aid measures after skin contact
- Wash skin with mild soap and water. If symptoms persist call a doctor.

First-aid measures after eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult an eye specialist.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a POISON CENTER/doctor.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after eye contact : Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Water spray. dry chemical powder. Alcohol resistant foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Fire hazard

: During combustion: Toxic vapours may be released, Carbon oxides (CO, CO2). Hazardous decomposition products in case of

5.3. **Advice for firefighters**

Precautionary measures fire : Keep upwind.

Firefighting instructions Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids

by bunding. Do not discharge into drains or the environment.

: Do not attempt to take action without suitable protective equipment. Complete protective Protection during firefighting

clothing. Self-contained breathing apparatus.

24/01/2018 EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Remove all sources of ignition.

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not smoke. No flames, no sparks. Eliminate all sources of

ignition. In case of important spillage: Clear the danger area. Only qualified personnel

equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Contain the spilled material by bunding. Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Absorb spillage with: Sand/earth. inert absorbent material.

Collect all waste in suitable and labelled containers and dispose according to local legislation.

Methods for cleaning up : Wash non-recoverable remainder with large amounts of water.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Smoking is forbidden. No flames, no sparks. Eliminate all sources of ignition. Avoid the build-up of electrostatic charge. Use non-sparking tools. Ground/bond container and receiving equipment.

Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. Keep away from food, drink and animal feeding stuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Protect from heat and direct sunlight. Proper grounding procedures to avoid static electricity should be followed.

Incompatible materials : Oxidation agents. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl acetate (141-78-6)		
EU	Local name	Ethyl acetate
EU	IOELV TWA (mg/m³)	734 mg/m³
EU	IOELV TWA (ppm)	200 ppm
EU	IOELV STEL (mg/m³)	1468 mg/m ³
EU	IOELV STEL (ppm)	400 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
United Kingdom	Local name	Ethyl acetate
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (ppm)	400 ppm
United Kingdom	Regulatory reference	EH40. HSE
Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
isopentyl acetate (123-92-2)		
EU	Local name	Isopentylacetate
EU	IOELV TWA (mg/m³)	270 mg/m ³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m³)	540 mg/m³
EU	IOELV STEL (ppm)	100 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

24/01/2018 EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

N-butyl acetate (123-86-4)		
EU	Local name	n-butyl acetate
EU	Notes	(Ongoing)
EU	Regulatory reference	SCOEL Recommendations
United Kingdom	Local name	Butyl acetate
United Kingdom	WEL TWA (mg/m³)	724 mg/m³
United Kingdom	WEL TWA (ppm)	150 ppm
United Kingdom	WEL STEL (mg/m³)	966 mg/m³
United Kingdom	WEL STEL (ppm)	200 ppm
United Kingdom	Regulatory reference	EH40. HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Breakthrough time: refer to the recommendations of the supplier

Eye protection:

Safety glasses with side shields

Respiratory protection:

If the ventilation is suitable, it is not essential to wear respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour : Strawberry.

Odour threshold : No data available

pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available
Freezing point : No data available

Boiling point : > 35 °C (estimated value)

Flash point : 22 °C

Auto-ignition temperature No data available No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow : No data available

Explosive properties : Explosive vapour/air mixtures may be formed.

Oxidising properties : Non oxidizing material according to EC criteria.

: No data available

: No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Viscosity, kinematic

Viscosity, dynamic

Highly flammable liquid and vapour.

24/01/2018 EN (English) 4/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

10.4. Conditions to avoid

Heat. Heat sources. Direct sunlight. Avoid the build-up of electrostatic charge.

10.5. Incompatible materials

Oxidizing agent. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1.	Information	on toxical	logical effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Ethyl acetate (141-78-6)		
LD50 oral rat	4935 mg/kg	
LD50 dermal rabbit	> 18000 mg/kg	
LC50 inhalation rat	1600 mg/l/4h	
Ethanol (64-17-5)		
LD50 oral rat	10470 mg/kg (95% Water) (OECD 401 method)	
LC50 inhalation rat	116,9 - 124,7 mg/l/4h (vapours) (equivalent or similar to OECD Guideline 403)	

	(
isopentyl acetate (123-92-2)		
LD50 oral rat	16 <mark>600</mark> mg/kg	
N-butyl acetate (123-86-4)		
LD50 oral rat	> 10000 mg/kg (equivalent or similar to OECD Guideline 423)	
LD50 dermal rabbit	> 14000 mg/kg (equivalent or similar to OECD Guideline 402)	
LC50 inhalation rat	> 21,1 mg/l/4h (OECD 403 method)	
benzyl benzoate (120-51-4)		
LD50 oral rat	≈ 1430 mg/kg (OECD 401 method)	

LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)	
LOAEL (oral, rat, 90 days)	3156 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	<= 1730 mg/kg bodyweight/day
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

SECTION	IZ: ECOIO	lical information

Toxicity

12.1.

Ecology - general	: To our knowledge, the product does not present any particular risk, under normal conditions of
	1100

Acute aquatic toxicity : Not classified (Based on available data, the classification criteria are not met)
Chronic aquatic toxicity : Not classified (Based on available data, the classification criteria are not met)

24/01/2018 EN (English) 5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)			
LC50 fish	230 mg/l/96h (Pimephales promelas)		
EC50 Daphnia	717 mg/l/48h (Daphnia magna)		
NOEC chronic crustacea	2,4 mg/l/ 21 d (Daphnia magna) (méthode OCDE 211)		
Ethanol (64-17-5)			
LC50 fish	13500 - 15300 mg/l/96h (Pimephales promelas)		
EC50 Daphnia	> 10000 mg/l/48h (Daphnia magna)		
ErC50 (algae)	275 mg/l/72h (Chlorella vulgaris)		
NOEC (chronic)	> 10 mg/l/ 21 d (Daphnia magna)		
NOEC chronic algae	240 mg/l		
N-butyl acetate (123-86-4)			
LC50 fish	18 mg/l/96h (Pimephales promelas) (OECD 203 method)		
EC50 Daphnia	44 mg/l/48h (Daphnia Sp.)		
ErC50 (algae)	648 mg/l/72h (Scenedesmus subspicatus)		
NOEC chronic crustacea	23 mg/l/ 21 d (Daphnia magna) (OECD 211 method)		
benzyl benzoate (120-51-4)			
LC50 fish	2,32 mg/l/96h (Danio rerio)		
EC50 Daphnia	a 3,09 mg/l/48h (Daphnia magna) (OECD 202 method)		
ErC50 (algae)	0 (algae) 0,475 mg/l/72h (Selenastrum capricornutum, 96h) (OECD 201 method)		

Ethyl acetate (141-78-6)	
Persistence and degradability	100 % biodegradation /28. days.
Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable. 70 % biodegradation. (20 days).
Biochemical oxygen demand (BOD)	0,93 - 1,67 g O2/g substance
Chemical oxygen demand (COD)	1,99 g O2/g substance
N-butyl acetate (123-86-4)	
Persistence and degradability	83 % biodegradation (28 days). Readily biodegradable. (OECD 301D method).
10.0 Diagonumulativa natantial	

Bioaccumulative potential

Ethyl acetate (141-78-6)	
Log Pow	0,73
Ethanol (64-17-5)	
BCF	0,66
Log Pow	-0,35 (20°C)
Bioaccumulative potential	Not potentially bioaccumulable.
N-butyl acetate (123-86-4)	
BCF	15,3
Log Pow	2,3

12.4. Mobility in soil

Ethanol (64-17-5)	
Ecology - soil	Small adsorption. Product evaporates rapidly when in contact with the air.

12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
N-butyl acetate (123-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal recommendations : Conform to current legislation, regulations and orders.

24/01/2018 EN (English) 6/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	14.1. UN number				
1993	1993	1993	1993	1993	
14.2. UN proper shippi	ng name				
FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	Flammable liquid, n.o.s. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	
14.3. Transport hazard	14.3. Transport hazard class(es)				
3	3	3	3	3	
3	3	3	3	3	
14.4. Packing group					
II	Ш	Ш	II	II	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information available					

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1

: 274, 601, 640D Special provisions (ADR)

: 11 Limited quantities (ADR) Excepted quantities (ADR) E2

: P001, IBC02, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special : TP1, TP8, TP28

provisions (ADR)

Tank code (ADR) : LGBF Vehicle for tank carriage Transport category (ADR)

S2, S20 Special provisions for carriage - Operation

(ADR)

Hazard identification number (Kemler No.) 33

Orange plates 33 1993

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-E Stowage category (IMDG) : B MFAG-No : 128

24/01/2018 EN (English) 7/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 3H

- Inland waterway transport

Classification code (ADN) : F1

: 274, 601, 640D Special provisions (ADN)

Limited quantities (ADN) : 1 L Excepted quantities (ADN) : E2 Carriage permitted (ADN) : T Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01

Number of blue cones/lights (ADN)

- Rail transport

: F1 Classification code (RID)

Special provisions (RID) : 274, 601, 640D

Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) P001, IBC02, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions : T7

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : LGBF

Transport category (RID) : 2 Colis express (express parcels) (RID) : CE7 Hazard identification number (RID) : 33

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

TP1, TP8, TP28

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. **National regulations**

No additional information available

Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

: ECHA - European Chemicals Agency. SDS of suppliers. Data sources

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1 Hazardous to the aquatic environment — Acute Hazard, Category 1		

24/01/2018 EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product



24/01/2018 EN (English) 9/9